



勝一化工股份有限公司

SHINY CHEMICAL INDUSTRIAL CO., LTD.

NO.5 YEONG GONG 1ST. ROAD, YEONG AN SHIANG. KAOHSIUNG
SHIAN, TAIWAN, R.O.C. Website: <http://www.shinychem.com.tw>

TEL: 886-7-6219171

FAX: 886-7-6222620

E-mail: export@shinychem.com.tw

Apr. 01, 2009

PROPYLENE GLYCOL MONOMETHYL ETHER (PM)

TEST METHOD

PURITY (WT%)	:	99.0	MIN.	G.C.
WATER CONTENT (WT%)	:	0.10	MAX.	
COLOR (PLATINUM-COBALT SCALE):	:	10	MAX.	
SPECIFIC GRAVITY (20/20°C)	:	0.922-0.925		
NON-VOLATILE MATTER G/100ML	:	0.010	MAX.	
DISTILLATION RANGE AT 760 mmHg				
INITIAL BOILDING POINT	:	117°C		
DRY POINT	:	125°C		
ACIDITY AS ACETIC ACID (WT%)	:	0.01	MAX.	
ODOR	:	MILD		
APPEARANCE	:	FREE FROM		
		INSOLUBLE AND		
		HAZE		

APPLICATIONS:

SOLVENT FOR RESINS; PAINTS; LACQUER & STAINS;
ARTIFICIAL LEATHER; PERFUMES; FLAVOR EXTRACTION;
DEHYDRATION AGENT.