



勝一化工股份有限公司

SHINY CHEMICAL INDUSTRIAL CO., LTD.

NO.5 YEONG GONG 1ST. ROAD, YEONG AN SHIANG. KAOHSIUNG
SHIAN, TAIWAN, R.O.C. Website: <http://www.shinychem.com.tw>

TEL: 886-7-6219171

FAX: 886-7-6222620

E-mail: export@shinychem.com.tw

Sep 02, 2008

PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE

(PMA)

	TEST METHOD
PURITY (WT%)	: 99.5 MIN. G.C.
WATER CONTENT (WT%)	: 0.05 MAX.
COLOR (PLATINUM-COBALT SCALE):	10 MAX.
SPECIFIC GRAVITY (20/20°C)	: 0.966-0.971
NON-VOLATILE MATTER G/100ML	: 0.010 MAX.
DISTILLATION RANGE AT 760 mmHg	
INITIAL BOILDING POINT	: 140°C
DRY POINT	: 150°C
ACIDITY AS ACETIC ACID (WT%)	: 0.02 MAX.
ODOR	: MILD
APPEARANCE	: FREE FROM INSOLUBLE AND HAZE

APPLICATIONS:

SOLVENT FOR RESINS; PAINTS; LACQUER & STAINS;
ARTIFICIAL LEATHER; PERFUMES; FLAVOR EXTRACTION;
DEHYDRATION AGENT.