



PRODUCT SPECIFICATION



UPC TECHNOLOGY CORP.

Headquarters : 5F.,20, Lane 478, Rueiguang Rd., Neihu, Chiu,Taipei 114, Taiwan, R.O.C
Tel: 886-2-26575555 Fax:886-2-26270707

Lin-Yuan Plant : 3, Kung-Yeh 2nd Rd., Lin-Yung, Kaohsiung County 832, Taiwan, R.O.C
Tel: 886-7-6413501 Fax:886-7-6421087

PRODUCT Phthalic Anhydride (PA)
MOLECULAR FORMULA $C_6H_4(CO)_2O$

The major uses of phthalic anhydride are in the manufacture of plasticizers, alkyd resins, and unsaturated polyester resins. Lesser uses are for phthalocyanine pigments, dyes, perfumes, pharmaceuticals, tanning and curing agents, insect repellants, and a variety of chemical intermediates.

SPECIFICATIONS

Solidification Point (°C)	130.8	Min.
Color (APHA)	20	Max.
Heating Haze (APHA)	50	Max.
Total Acid (KOH-mg/0.148g)	111.6	Min.
Purity (Wt%)	99.6	Min.
Phthalic Acid (Wt%)	0.5	Max.
Maleic Anhydride (Wt%)	0.05	Max.

PHYSICAL PROPERTIES

Molecular Weight	148.12
Boling Point (760 mm Hg)	284.5°C
Solubility in Water (25°C)	0.6g/100g
Flash Point	155°C

PACKING

25 kg Bags
500 kg Bags
750 kg Bags
850 kg Bags
Molten