



Para Tertiary Butyl Phenol

對叔丁基苯酚

FORMULA : C₁₀H₁₄O

CAS No.: 98-54-4

CHEMICAL NAME : 4-tert-Butylphenol;1-Hydroxy-4-tert-butylbenzene

PHYSICAL PROPERTIES :

Appearance white, Solid Flake
Molecular Weight 150.2
Boiling Point, °C/760mmHg 236.5
Melting Point, °C 98.0 min.
Product Density (g/ml) 0.392
Liquid Density (g/ml@ 120 °C) 0.904
Flash Point, °C (open cup)..... 118
Vapor Pressure, 130°C 20mm.Hg
Viscosity, cps, 100 °C..... 2.97

SPECIFICATIONS :

Property	Test method	Specified Limit
Appearance	Visual	White solid
Purity, % wt	GC method	99.9 min.
Color, APHA	ASTM D1209	20max
Water Content, ppm	ASTM D1364	500max
OTBP Content, ppm	GC method	150max
2,6DTBP Content, ppm	GC method	50max

APPLICATIONS

Polymerization modifier for polycarbonate resin

TASCO CHEMICAL CORP.

台灣石化合成股份有限公司

HEAD OFFICE : 25-9A, SEC. 4,JEN-AI RD., TAIPEI, TAIWAN,

TEL : (02)7415577

FAX : (02)27413450

Email: tascosm@ms9.hinet.net