

## SAFETY DATA SHEET

Ethylene glycol monobutyl ether

acetate(BAC\EBA);BUTYL

GLYCOL

ACETATE(BCSA\BGA)

JIANGSU DYNAMIC CHEMICAL CO., LTD.

# SDS

- According to GHS (Eighth Revised Edition)

### Section 1 Product and Company Identification

#### > Product Identifier

Product Name	Ethylene glycol monobutyl ether acetate(BAC\EBA);BUTYL GLYCOL ACETATE(BCSA\BGA)
Synonyms	-
CAS No.	112-07-2
EC No.	203-933-3
Molecular Formula	C <sub>8</sub> H <sub>16</sub> O <sub>3</sub>

#### > Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

#### > Details of the Supplier of the Safety Data Sheet

Applicant Name	JIANGSU DYNAMIC CHEMICAL CO., LTD.
Application Address	NO.2, BAILONG ROAD, NANJING CHEMICAL INDUSTRY PARK, CHINA
Applicant Post Code	210047
Applicant Telephone	+86-25-57098565
Applicant Fax	+86-25-58392798
Applicant E-mail	wangrong@dynai.com
Supplier Name	JIANGSU DYNAMIC CHEMICAL CO., LTD.
Supplier Address	NO.2, BAILONG ROAD, NANJING CHEMICAL INDUSTRY PARK, CHINA
Supplier Post Code	210047
Supplier Telephone	+86-25-57098565
Supplier Fax	+86-25-58392798
Supplier E-mail	wangrong@dynai.com

#### > Emergency Phone Number

Emergency Phone Number	+86-25-57098565
------------------------	-----------------

### Section 2 Hazards Identification

**Hazard class and label elements of the product according to GHS (the eighth revised edition):****> GHS Hazard Class**

<b>Flammable Liquids</b>	Category 4
<b>Acute Toxicity – Oral</b>	Category 5
<b>Acute Toxicity – Dermal</b>	Category 4
<b>Acute Toxicity – Inhalation</b>	Category 4

**> GHS Label Elements**

Pictogram



Signal Word

**Warning****> Hazard Statements**

<b>H227</b>	Combustible liquid
<b>H303</b>	May be harmful if swallowed
<b>H312</b>	Harmful in contact with skin
<b>H332</b>	Harmful if inhaled

**> Precautionary Statements****Prevention**

<b>P210</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>P261</b>	Avoid breathing dust/fume/gas/mist/vapours/spray.
<b>P271</b>	Use only outdoors or in a well-ventilated area.
<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**Response**

<b>P317</b>	Get medical help.
<b>P321</b>	Specific treatment (see measures on this label).
<b>P301+P317</b>	IF SWALLOWED: Get medical help.
<b>P302+P352</b>	IF ON SKIN: Wash with plenty of water.
<b>P304+P340</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>P362+P364</b>	Take off contaminated clothing and wash it before reuse.
<b>P370+P378</b>	In case of fire: Use suitable extinguishing medium to extinguish.

**Storage**

<b>P403</b>	Store in a well-ventilated place.
-------------	-----------------------------------

**Disposal**

<b>P501</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------	---

**Section 3 Composition/Information on Ingredients**

<b>Component</b>	<b>Concentration (weight percent, %)</b>	<b>CAS No.</b>	<b>EC No.</b>
Ethylene glycol monobutyl ether	≥ 99	112-07-2	203-933-3



acetate(BAC\EBA);BUTYL  
GLYCOL  
ACETATE(BCSA\BGA)

## Section 4 First Aid Measures

### > Description of First Aid Measures

<b>General Advice</b>	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
<b>Skin Contact</b>	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
<b>Inhalation</b>	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
<b>Protecting of First-aiders</b>	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

### > Most Important Symptoms and Effects, both Acute and Delayed

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

### > Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## Section 5 Fire Fighting Measures

### > Extinguishing Media

<b>Suitable Extinguishing Media</b>	Dry chemical, carbon dioxide, water spray, alcohol-resistant foam.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter or spread fire.

### > Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

### > Advice for Firefighters

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section 6 Accidental Release Measure

### > Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.

- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

### > Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

### > Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Section 7 Handling and Storage

### > Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

### > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

## Section 8 Exposure Controls/Personal Protection

### > Control Parameters

#### Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethylene glycol monobutyl ether acetate(BAC\EBA);BUTYL GLYCOL ACETATE(BCSA\BGA) 112-07-2	USA - NIOSH	5	33	-	-
	South Korea	20	131	-	-
	Ireland	20	133	50	333
	Germany (AGS)	20	130	80	520
	Denmark	20	130	40	260
	Australia	20	133	50	333

#### Biological Limit Values

No information available

#### Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.



- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

### > Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

### > Personal Protection Equipment

<b>Eye Protection</b>	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
<b>Hand Protection</b>	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
<b>Respiratory protection</b>	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
<b>Skin and Body Protection</b>	Wear fire/flame resistant/retardant clothing and antistatic boots.

## Section 9 Physical and Chemical Properties

<b>Appearance:</b> Colorless transparent liquid	<b>Odor:</b> No information available
<b>Odor Threshold:</b> No information available	<b>pH:</b> No information available
<b>Melting Point/Freezing Point (°C):</b> -64.6	<b>Initial Boiling Point and Boiling Range (°C):</b> 186
<b>Flash Point (°C)( Closed Cup):</b> 71	<b>Evaporation Rate:</b> No information available
<b>Flammability:</b> Not applicable	<b>Upper/lower explosive limits[%(v/v)]:</b> Upper limit: 8.5; Lower limit: 0.9
<b>Vapor Pressure (KPa):</b> 31Pa (20°C)	<b>Relative Vapour Density(Air = 1):</b> 5.5
<b>Relative Density(Water=1):</b> 0.94	<b>Solubility:</b> Miscible with water
<b>n-Octanol/Water Partition Coefficient:</b> 1.51	<b>Auto-Ignition Temperature(°C):</b> 340
<b>Decomposition Temperature (°C):</b> 193	<b>Kinematic Viscosity (mm<sup>2</sup>/s):</b> 1.91
<b>Particle characteristics:</b> Not applicable	

## Section 10 Stability and Reactivity

<b>Reactivity</b>	Contact with incompatible substances can cause decomposition or other chemical reactions.
<b>Chemical Stability</b>	Stable under proper operation and storage conditions.
<b>Possibility of Hazardous Reactions</b>	No information available
<b>Conditions to Avoid</b>	Incompatible materials, heat, flame and spark.
<b>Incompatible Materials</b>	No information available
<b>Hazardous Decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 Toxicological Information

**> Acute Toxicity**

Component	CAS No.	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)
Ethylene glycol monobutyl ether acetate(BAC\EBA);BUTYL GLYCOL ACETATE(BCSA\BGA)	112-07-2	1880mg/kg(Rat)	1500mg/kg(Rabbit)	7.82mg/L(Rat)

**> Skin Corrosion/Irritation**

No information available

**> Serious Eye Damage/Irritation**

No information available

**> Skin Sensitization**

No information available

**> Respiratory Sensitization**

No information available

**> Germ Cell Mutagenicity**

No information available

**> Carcinogenicity**

ID	CAS No.	Component	IARC	NTP
1	112-07-2	Ethylene glycol monobutyl ether acetate(BAC\EBA);BUTYL GLYCOL ACETATE(BCSA\BGA)	Not Listed	Not Listed

**> Reproductive Toxicity**

No information available

**> Reproductive Toxicity (Additional)**

No information available

**> STOT-Single Exposure**

No information available

**> STOT-Repeated Exposure**

No information available

**> Aspiration Hazard**

No information available

## Section 12 Ecological Information

### > Acute Aquatic Toxicity

No information available

### > Chronic Aquatic Toxicity

No information available

### > Others

#### Persistence and Degradability

No information available

#### Bioaccumulative Potential

No information available

#### Mobility in Soil

No information available

#### Results of PBT and vPvB Assessment

Ethylene glycol monobutyl ether acetate(BAC\EBA);BUTYL GLYCOL ACETATE(BCSA\BGA) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

## Section 13 Disposal Considerations

#### Waste Chemicals

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

#### Contaminated Packaging

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

#### Disposal

Refer to Waste chemicals and Contaminated packaging.

#### Recommendations

## Section 14 Transport Information

#### Transporting Label

Not applicable

#### UN Number

-

#### UN Proper Shipping Name

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Transport Hazard Class

None

#### Transport Subsidiary Hazard Class

None

#### Packing Group

-

## Section 15 Regulatory Information

### > International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Ethylene glycol monobutyl ether acetate(BAC\EBA); BUTYL GLYCOL	√	√	√	√	√	√	√	√	√



ACETATE(BCSA\BGA)									
-------------------	--	--	--	--	--	--	--	--	--

- 【EINECS】 European Inventory of Existing Commercial Chemical Substances.
- 【TSCA】 United States Toxic Substances Control Act Inventory.
- 【DSL】 Canadian Domestic Substances List.
- 【IECSC】 China Inventory of Existing Chemical Substances.
- 【NZIoC】 New Zealand Inventory of Chemicals.
- 【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.
- 【KECI】 Existing and Evaluated Chemical Substances.
- 【AICS】 Australia Inventory of Chemical Substances.
- 【ENCS】 Existing And New Chemical Substances.

#### Note

- "√" Indicates that the substance included in the regulations
- "x" That no data or included in the regulations

## Section 16 Additional Information

**Creation Date**                    2021/05/28  
**Revision Date**                    2021/05/28  
**Reason for Revision**            -

### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.





南京海关危险货物与包装检测中心  
国家化学品分类鉴别与评估重点实验室



中国认可  
检测  
TESTING  
CNAS L9939

正本  
ORIGINAL

## 报告书使用约定

1. 本报告审核结论仅对附件 SDS 负责，如申请单位对提交的 SDS 有任何变更，本报告自动失效。
2. 依据出具报告的需要，本中心要求委托人提供真实、完整的信息和资料。
3. 申请单位对所提供的 SDS 内容的真实性负责，本中心不承担因申请单位提供错误信息导致的任何后果。
4. 本报告经授权签字人签字并加盖本中心印章后生效。
5. 本中心保证本报告的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
6. 未经本中心书面批准，不得部分复制本报告书。
7. 私自转让、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
8. 报告的真伪性查询可扫描报告上二维码。

