

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name : Acetonitrile  
 /Component >99.9%  
 CAS-No. : 75-05-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company NANTONG LIYANG CHEMICAL CO.,LTD  
 YANGKOU CHEMICAL IND PARK RUDONG  
 COUNTY NANTONG JIANGSU CHINA

Post code :226009  
 Telephone : +86 513-85559168  
 Fax : +86 513-81903459  
 Email address : li@ntacf.com

#### 1.4 Emergency telephone number

Emergency Phone # : +86 513-85559168

#### 1.5 Substance/mixture

Componet	CAS NO.	Concentration(%)
Acetonitrile	75-05-8	≥99.9
water	7732-18-5	≤0.1

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 2)  
 Acute toxicity, Inhalation (Category 4)  
 Acute toxicity, Dermal (Category 4)  
 Acute toxicity, Oral (Category 4)  
 Eye irritation (Category 2)  
 Single exposure (central nervous system, respiratory organs), class 1  
 Toxicity of specific target organs, repeated exposure (blood system, central nervous system, respiratory system, liver, kidney), category 2  
 Environmental hazards, lack of data, can't be classified

##### Classification according to EU Directives 67/548/EEC or 1999/45/EC

Highly flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes.

#### 2.2 Label elements

##### Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word

Danger

Hazard statement(s)

Highly flammable liquid and vapour.

H225

H302  
H312  
H319  
H332

Harmful if swallowed.  
Harmful in contact with skin.  
Causes serious eye irritation.  
Harmful if inhaled.

Precautionary statement(s)  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 Wear protective gloves/ protective clothing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

**According to European Directive 67/548/EEC as amended.**

Hazard symbol(s) 

R-phrase(s)  
R11 Highly flammable.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R36 Irritating to eyes.  
S-phrase(s)  
S16 Keep away from sources of ignition - No smoking.  
S36/37 Wear suitable protective clothing and gloves.

**2.3 Other hazards - none**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Synonyms : Methyl cyanide  
Formula : C2H3N  
:

Molecular Weight : 41,05 g/mol

Component	
<b>Acetonitrile</b>	
CAS-No.	75-05-8
EC-No.	200-835-2
Index-No.	608-001-00-3
Registration number	01-2119471307-38-0049

**4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Nausea, Vomiting, Diarrhoea, Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness, impaired judgment, Lack of coordination, stupor, death

**4.3 Indication of any immediate medical attention and special treatment needed**  
no data available

## **5. FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### **5.2 Special hazards arising from the substance or mixture**

no data available

### **5.3 Advice for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

### **5.4 Further information**

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### **6.4 Reference to other sections**

For disposal see section 13.

## **7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### **7.2 Conditions for safe storage, including any incompatibilities**

1、Dedicated tank and keep cool ventilate far way from fire heat and sunlight

2、keep temp below 40C with several extinguish facilities。

3、Do not keep it with oxidant or acidity substance or relevant hazards

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas.

### **7.3 Specific end uses**

no data available

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1 Control parameters**

#### **Components with workplace control parameters**

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

##### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: > 480 min

Material tested: Butoject?(Aldrich Z677647, Size M)

Splash protection

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Break through time: > 30 min

Material tested: Butoject?(Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: clear, liquid Colour: colourless
b) Odour	pungent
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	Melting point/range: -48
f) Initial boiling point and boiling range	81 - 82
g) Flash point	2,0
h) Evaporation rate	5,8
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 16 %(V) Lower explosion limit: 4,4 %(V)
k) Vapour pressure	73,18 hPa at 15

	119,81 hPa at 25 413,23 hPa at 55
l) Vapour density	no data available
m) Relative density	0,786 g/mL at 25
n) Water solubility	completely soluble
o) Partition coefficient: n-octanol/water	log Pow: -0,34
p) Autoignition temperature	523,0
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties	no data available
t) Oxidizing properties	no data available

## 9.2 Other safety information

Surface tension 29,0 mN/m at 20,0 \_

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

acids, Bases, Oxidizing agents, Reducing agents, Alkali metals

### 10.6 Hazardous decomposition products

Other decomposition products - no data available

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - rat - 2.460 mg/kg

LC50 Inhalation - rat - 8 h - 7551 ppm

Remarks: Behavioral: Altered sleep time (including change in righting reflex). Behavioral: Convulsions or effect on seizure threshold. Blood: Hemorrhage.

LD50 Dermal - rabbit - 2.000 mg/kg

#### Skin corrosion/irritation

Skin - rabbit - Mild skin irritation

#### Serious eye damage/eye irritation

Eyes - rabbit - Irritating to eyes.

#### Respiratory or skin sensitization

Did not cause sensitization on laboratory animals.

#### Germ cell mutagenicity

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

no data available

**Specific target organ toxicity - single exposure**

no data available

**Specific target organ toxicity - repeated exposure**

no data available

**Aspiration hazard**

no data available

**Potential health effects****Inhalation**

Harmful if inhaled. May cause respiratory tract irritation.

**Ingestion**

Harmful if swallowed.

**Skin**

Harmful if absorbed through skin. May cause skin irritation.

**Eyes**

Causes eye burns.

**Signs and Symptoms of Exposure**

Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Nausea, Vomiting, Diarrhoea, Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness, impaired judgment, Lack of coordination, stupor, death

**Additional Information**

RTECS: AL7700000

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1.640,00 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 3.600,00 mg/l - 48 h

NOEC - Daphnia magna (Water flea) - 640 mg/l - 14 d

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

no data available

**12.6 Other adverse effects**

no data available

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

##### 14.1 UN number

ADR/RID: 1648

IMDG: 1648

IATA: 1648

##### 14.2 UN proper shipping name

ADR/RID: ACETONITRILE

IMDG: ACETONITRILE

IATA: Acetonitrile

##### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

##### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

##### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

##### 14.6 Special precautions for user

no data available

#### 15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

##### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

##### 15.2 Chemical Safety Assessment

no data available

#### 16. OTHER INFORMATION

Creation date :Jan.01st 2023

Expriy date:Jan.01<sup>st</sup> 2027

##### Further information

License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.