

Safety Data Sheet

According to the UN GHS revision 11

Propylene Glycol Methyl Ether Acetate

Version 1.0

Issue date: 19/10/2025

Revision date: 19/10/2025

SDS Record Number: SDS-HL-PMA-20251019

SECTION 1: Identification

1.1 GHS Product identifier

Product name: 2-methoxy-1-methylethyl acetate

1.2 Other means of identification

2-methoxy-1-methylethyl acetate; 1,2-Propanediol 1-Monomethyl Ether 2-Acetate; Propylene Glycol Methyl Ether Acetate

1.3 Recommended use of the chemical and restrictions on use

Identified uses: Industrial and scientific research use.

Uses advised against: no data available

1.4 Supplier's details

Company: Hualun Advanced Materials (Jiangsu) Co., Ltd

Address: No.39 Renmin Middle Road, Dinghuo Town, Jiangdu City, Jiangsu Province, China

Telephone: +86-514-86507985

1.5 Emergency phone number

Emergency phone number: +86-514-86507985

Service hours: Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3

2.2 GHS label elements, including precautionary statements



Pictogram(s)

Signal word Warning

Product name: Propylene Glycol Methyl Ether Acetate

Version #: 1.0

Issue date: 19-10-2025

Revision date: 19-10-2025

1 / 7

Hazard statement(s)	H226 Flammable liquid and vapour
Precautionary statement(s)	
Prevention	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233 Keep container tightly closed.</p> <p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...</p>
Response	<p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].</p> <p>P370+P378 In case of fire: Use ... to extinguish.</p>
Storage	P403+P235 Store in a well-ventilated place. Keep cool.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical Name	Registration No.	CAS No.	EC No.	Concentration
2-methoxy-1-methylethyl acetate	01-2119475791-29-0007	108-65-6	203-603-9	≥99.5%
2-methoxypropyl acetate	N/A	70657-70-4	274-724-2	≤0.4%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Do NOT induce vomiting. Rest. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

No significant adverse effects expected. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

no data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fire Extinguishing Agents Not to Be Used: Water. Fire Extinguishing Agents: Water spray, alcohol foam, dry chemical, or carbon dioxide. (USCG, 1999)

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Carbon dioxide and carbon monoxide may form when heated to decomposition. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use alcohol-resistant foam, foam, powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

6.2 Environmental precautions

Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 42°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants. Dry.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

EU-OEL: 275 mg/m³, 50 ppm as TWA; 550 mg/m³, 100 ppm as STEL; (skin).MAK: 270 mg/m³, 50 ppm; peak limitation category: I(1); pregnancy risk group: C

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles, face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Colourless.
Odour	no data available
Melting point/freezing point	-66 °C. Atm. press.:101 325 Pa.

Product name: Propylene Glycol Methyl Ether Acetate

Version #: 1.0

Issue' date: 19-10-2025

Revision date: 19-10-2025

Boiling point or initial boiling point and boiling range	145.8 °C. Atm. press.:760 mm Hg.
Flammability	Flammable.
Lower and upper explosion limit/flammability limit	no data available
Flash point	45.5 °C. Atm. press.:101.3 kPa.
Auto-ignition temperature	333 °C. Atm. press.:101 325 Pa.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	kinematic viscosity (in mm ² /s) = 1.13. Temperature:25.0°C.;kinematic viscosity (in mm ² /s) = 1.23. Temperature:20°C.
Solubility	in water, g/100ml: 19.8
Partition coefficient n-octanol/water	log Pow = 1.2. Temperature:20 °C.
Vapour pressure	2.7 mm Hg. Temperature:20 °C.;3.8 mm Hg. Temperature:25 °C.
Density and/or relative density	0.967 g/cm ³ . Temperature:20 °C.;0.962 g/cm ³ . Temperature:25 °C.
Relative vapour density	(air = 1): 4.6
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts with strong oxidants.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

PROPYLENE GLYCOL METHYL ETHER ACETATE is an ester. Esters react with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction of esters with caustic solutions. Flammable hydrogen is generated by mixing esters with alkali metals and hydrides. Incompatible with oxidizers.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

Product name: Propylene Glycol Methyl Ether Acetate
 Version #: 1.0 Issue date: 19-10-2025 Revision date: 19-10-2025

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: no data available
- Inhalation: LC0 - rat (male) - > 2 000 ppm.
- Dermal: LD0 - rabbit (male/female) - > 5 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes and respiratory tract. Exposure at high levels could cause depression of the central nervous system.

STOT-repeated exposure

The substance defats the skin, which may cause dryness or cracking.

Aspiration hazard

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*) - 100 - 180 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 500 mg/L - 48 h.
- Toxicity to algae: NOEC - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - \geq 1 000 mg/L - 96 h.
- Toxicity to microorganisms: EC10 - activated sludge - > 1 000 mg/L - 30 min. Remarks: Respiration rate.

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	3272	3272	3272
UN Proper shipping name	ESTERS, N.O.S. (Propylene Glycol Methyl Ether Acetate)	ESTERS, N.O.S. (Propylene Glycol Methyl Ether Acetate)	ESTERS, N.O.S. (Propylene Glycol Methyl Ether Acetate)
Transport hazard Class	3	3	3
Packaging group	III	III	III
Environmental hazards	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according to Annex II of Marpol and the IBC Code	IBC03	IBC03	IBC03

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
2-methoxy-1-methylethyl acetate	2-methoxy-1-methylethyl acetate	108-65-6	203-603-9
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

16.1 Indication of changes:
Version 1.0
16.2 Training instructions:
Not applicable.
16.3 Further information:
This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.
16.4 Notice to reader:
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.