



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0526
MANUFACTURER DATE:	MAY. 26,2014
EXPIRY DATE:	MAY. 26,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.88 PCT
MOISTURE:	0.1 PCT MAX	0.03 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0527
MANUFACTURER DATE:	MAY. 27,2014
EXPIRY DATE:	MAY. 27,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.87 PCT
MOISTURE:	0.1 PCT MAX	0.04 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.6

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax:+86 351 8206170 Email:info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0529
MANUFACTURER DATE:	MAY. 29,2014
EXPIRY DATE:	MAY. 29,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF
THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.86 PCT
MOISTURE:	0.1 PCT MAX	0.03 PCT
ASH:	0.03 PCT MAX	0.02 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0602
MANUFACTURER DATE:	JUN. 2,2014
EXPIRY DATE:	JUN. 2,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.88 PCT
MOISTURE:	0.1 PCT MAX	0.02PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0603
MANUFACTURER DATE:	JUN. 3,2014
EXPIRY DATE:	JUN. 3,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF
THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.85 PCT
MOISTURE:	0.1 PCT MAX	0.04 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.6

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0604
MANUFACTURER DATE:	JUN. 4,2014
EXPIRY DATE:	JUN. 4,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.89 PCT
MOISTURE:	0.1 PCT MAX	0.02 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0606
MANUFACTURER DATE:	JUN. 6,2014
EXPIRY DATE:	JUN. 6,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.89 PCT
MOISTURE:	0.1 PCT MAX	0.04 PCT
ASH:	0.03 PCT MAX	0.02 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.6

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax: +86 351 8206170 Email: info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0610
MANUFACTURER DATE:	JUN. 10,2014
EXPIRY DATE:	JUN. 10,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF
THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.88 PCT
MOISTURE:	0.1 PCT MAX	0.02 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax:+86 351 8206170 Email:info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0611
MANUFACTURER DATE:	JUN. 11,2014
EXPIRY DATE:	JUN. 11,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.88 PCT
MOISTURE:	0.1 PCT MAX	0.04 PCT
ASH:	0.03 PCT MAX	0.01 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)



TIANJIN CHENGYI INTERNATIONAL
TRADING CO., LIMITED

Room 1309, Wufeng Building, No.11 Zhenxing Street,
National Hi-Tech Industrial Development Zone of Taiyuan, Shanxi, China.
Tel: +86 351 8281246 8281248 Fax:+86 351 8206170 Email:info@yuanpingint.com

CERTIFICATE OF ANALYSIS

=====

ORIGINAL

COMMODITY:	MELAMINE
BATCH NO.:	LUXI0612
MANUFACTURER DATE:	JUN. 12,2014
EXPIRY DATE:	JUN. 12,2015

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF THE ABOVE MENTIONED GOODS AND FOUND THE RESULT OF INSPECTION AS FOLLOWS:

SPECIFICATION	STANDARD	RESULT
MELAMINE PURITY:	99.8 PCT MIN	99.86 PCT
MOISTURE:	0.1 PCT MAX	0.04 PCT
ASH:	0.03 PCT MAX	0.02 PCT
COLOUR(APHA):	20 MAX	10
TURBIDITY(KAOLIN):	20 MAX	2
PH:	7.5-9.5	8.7

For and on behalf of
TIANJIN CHENGYI INTERNATIONAL TRADING CO., LIMITED
添錦誠易國際貿易有限公司


.....
Authorized Signature(s)